

Created by T. Madas

# RELATED RANDOM VARIABLES

Created by T. Madas

**Question 1 (\*\*\*)**

The continuous random variable  $X$  is uniformly distributed in the interval  $[1,16]$ .

The continuous random variable  $Y$  is related to  $X$  by the equation  $Y = \sqrt{X}$ .


Determine the probability density function of  $Y$ .

$$f(y) = \begin{cases} \frac{2}{15}y & 1 \leq y \leq 4 \\ 0 & \text{otherwise} \end{cases}$$

● START BY OBTAINING THE C.D.F. OF THE UNIFORM DISTRIBUTION

$X \sim U[1,16]$

$f(x) = \begin{cases} \frac{1}{15} & 1 \leq x \leq 16 \\ 0 & \text{otherwise} \end{cases}$



$F(x) = \int_1^x \frac{1}{15} dx = \left[ \frac{1}{15}x \right]_1^x = \frac{1}{15}x - \frac{1}{15}$

● NOW WE PROCEED FROM THE C.D.F. OF  $Y$

$G(y) = P(Y < y)$

$\leq$  IS NOT NEEDED AS BOTH  $X$  &  $Y$  ARE CONTINUOUS

$= P(\sqrt{X} < y)$

$= P(X < y^2)$

$= F(y^2)$

$= \frac{1}{15}y^2 - \frac{1}{15}$

● THIS THE P.D.F. CAN BE FOUND BY DIFFERENTIATION

$g(y) = \frac{d}{dy} G(y) = \frac{d}{dy} \left[ \frac{1}{15}y^2 - \frac{1}{15} \right] = \frac{2}{15}y$

$\therefore g(y) = \begin{cases} \frac{2}{15}y & 1 \leq y \leq 4 \\ 0 & \text{otherwise} \end{cases}$

**Question 2** (\*\*\*)

The continuous random variable  $U$  is uniformly distributed in  $[0,1]$ .

The continuous random variable  $X$  satisfies

$$X = \frac{2}{2+13U}.$$

Determine the probability density function of  $X$ .

$$f(x) = \begin{cases} \frac{2}{13x^2} & \frac{2}{15} \leq x \leq 1 \\ 0 & \text{otherwise} \end{cases}$$

Handwritten solution showing the derivation of the probability density function  $f(x)$  for  $X = \frac{2}{2+13U}$  where  $U \sim \text{Unif}[0,1]$ .

$U \sim \text{Unif}[0,1]$   
 $X = \frac{2}{2+13U}$

- $f_U(u)$  is the PDF of  $U$
- $G(x)$  is the CDF of  $X$
- Thus  $F(u) = \int_0^u 1 \, du = [u]_0^u = u \Rightarrow F(x) = u$
- REVERSE:  $X = \frac{2}{2+13U} \Rightarrow 2X + 13XU = 2$   
 $13XU = 2 - 2X$   
 $U = \frac{2-2X}{13X}$   
 where  $0 \leq U \leq 1 \Rightarrow \frac{2}{13} \leq X \leq 1$
- Thus  $G(x) = P(X \leq x) = P\left(\frac{2}{2+13U} \leq x\right) = P\left(\frac{2x}{2-2x} \geq \frac{2}{13}\right)$   
 $= P\left(13x \geq \frac{2}{2-2x}\right) = P(13x(2-2x) \geq 2) = P(26x - 26x^2 \geq 2)$   
 $= 1 - P\left(26x^2 - 26x + 1 \leq 0\right) = 1 - F\left(\frac{26x-1}{26}\right)$   
 $= 1 - \left(\frac{26x-1}{26}\right) = \frac{1}{26} - \frac{26x-1}{26}$
- $\therefore$  Differentiate:  $g(x) = \frac{d}{dx}G(x) = \frac{2}{13x^2}$
- $\therefore g(x) = \begin{cases} \frac{2}{13x^2} & \frac{2}{13} \leq x \leq 1 \\ 0 & \text{otherwise} \end{cases}$